

Manual for COVID-19 in early childhood education and childcare facilities (for child)

2020/8/5

Target person	Symptoms	Things to do	Conditions to go to the Nursery
The child	<ul style="list-style-type: none"> •Fever (more than 37.5°C) •Cold •diarrhea •Dullness 	<ul style="list-style-type: none"> •Cured at home •Consult a medical institution 	<ul style="list-style-type: none"> •Symptoms disappear •24h after Fever lowering (no use of medicine) •Permission of the doctor
The child	<ul style="list-style-type: none"> •A family living together infected COVID-19 	<ul style="list-style-type: none"> •Cured at home •Consult public health care center •2 weeks health observation as a density contact person 	<ul style="list-style-type: none"> •Permission of public health care center
The child	<ul style="list-style-type: none"> •Determined to be a density contact person 	<ul style="list-style-type: none"> •Stop go to nursery •Consult public health care center •2 weeks health observation as a density contact person •Take a PCR test 	<ul style="list-style-type: none"> •Permission of public health care center
The child	<ul style="list-style-type: none"> •COVID-19 positive 	<ul style="list-style-type: none"> •Stop go to nursery •Consult public health care center and Ome city parenting promotion division •Close the nursery •Create a contact person list in the nursery •Disinfect the facility (Follow the instructions from the public health center) 	<ul style="list-style-type: none"> •Permission of public health care center •Permission of the doctor
Family of the child	<ul style="list-style-type: none"> •A family living together has symptoms •Fever (more than 37.5°C) •Cold •diarrhea •Dullness 	<ul style="list-style-type: none"> •Cured at home •Isolation at home (Infection prevention) 	<ul style="list-style-type: none"> •No symptoms for the family and the child •End of self-restraint period of the family living together
Family of the child	<ul style="list-style-type: none"> •A family living together determined to be a density contact person 	<ul style="list-style-type: none"> •Cured at home •Consult public health care center •2 weeks health observation as a density contact person •Isolation at home (Infection prevention) 	<ul style="list-style-type: none"> •No symptoms for the family and the child •End of self-restraint period of the family living together

I If the child has a symptom of COVID-19

